



**CITY OF BROADVIEW HEIGHTS
RESOLUTION NO. 2025-93**

INTRODUCED BY MAYOR AND ENTIRE COUNCIL

**A RESOLUTION AUTHORIZING THE MAYOR TO ENTER INTO AN
AGREEMENT BETWEEN THE CITY OF BROADVIEW HEIGHTS AND OHIO CAT
FOR THE PURCHASE OF AN INTERSTATE MODEL 40 DLA TRAILER IN THE
CITY OF BROADVIEW HEIGHTS AND DECLARING AN EMERGENCY**


WHEREAS, the City Council has determined that it is in the best interest of the City to enter into an agreement between the City of Broadview Heights and Ohio CAT for the purchase of an Interstate Model 40 DLA Trailer in the City of Broadview Heights.

NOW, THEREFORE, BE IT RESOLVED BY THE COUNCIL OF THE CITY OF BROADVIEW HEIGHTS, COUNTY OF CUYAHOGA AND STATE OF OHIO:

SECTION 1. The Mayor is hereby and herein authorized to enter into an agreement between the City of Broadview Heights and Ohio CAT for the purchase of an Interstate Model 40 DLA Trailer in the City of Broadview Heights as delineated in Exhibit "A" attached hereto and made a part hereof as if fully rewritten.

SECTION 2. This Resolution is hereby declared to be an emergency measure necessary for the immediate preservation of the public health, peace, safety and welfare for the reason stated in the Preamble hereof, and provided it receives the affirmative vote of five (5) or more of the members of Council and signature of the Mayor; otherwise it shall take effect and be in force from and after the earliest period allowed by law.

Passed and Adopted by the Council on this 23rd day of June, 2025


Robert Boldt, President of Council


Samuel J. Alai, Mayor

June 23, 2025
Date


Attest: Robin Parsons, Clerk of Council

June 23, 2025
Date

Request for Council Authorization to Purchase Form

Description of Item or Service	Interstate model 40DLA Trailer
Vendor	Ohio CAT
Dates of Contract	One-Time Purchase
Contract or Purchase Price	\$25,307.00

If over \$77,250 - Was purchase competitively bid	n/a
If under \$77,250 Were Multiple Quotes Obtained	No
If no, state reason	Trailer for excavator being purchased through Ohio CAT.
State Contract or Other Purchasing Consortium Contract Number	n/a
If yes, list other pricing or attach separate sheet:	
n/a	

I hereby certify, that to the best of my knowledge the above information is true, accurate, and complete.

X
[Signature]
5/29/25

Signature: _____ Date: _____

For Finance Department Usage:		
Account Number	Amount	
701.8810.52503 - Storm Sewer Equipment		\$25,307.00

I hereby certify there are sufficient funds lawfully appropriated for the proposed expenditure and the funds are in the treasury or in the proper fund, free from any previous encumbrances.

[Signature]
5.29.2025

Finance Director: _____ Date: _____

Notes:
 Current appropriation for equipment in Storm Sewer Fund is \$25,000, however we have \$350,000 available under improvements. Service/Engineering has requested that money be transferred from improvements to equipment to facilitate this purchase. We currently have no major improvements planned, and trailer will be used to haul proposed excavator purchase.



Phone: 1-800-433-5384
 Fax: 1-817-453-5445

Quotation No: 34050725P Rev. 1
Date: 5/21/2025

Dealer: Ohio CAT
 3993 East Royalton Rd.
 Broadview Hts., OH 44147
 Bus: (440) 526-6200
 Bus Fax: (440) 526-9513

Delivery: 6 weeks

Interstate model 40DLA - Standard Specification

General description: 40,000 lb. capacity tag-along trailer with beavertail & ramps.
Load capacity: 40,000 lbs. at 65 M.P.H. (G.V.W.R. 47,600 lbs.)
Overall length: 30'-0"
Deck length: 24'-0" (19'-0" flat deck + 5'-0" beavertail)
Deck width: 8'-6"
Deck height: 36" unloaded
Frame construction: Pierced mainbeam construction with one piece interlocking crossmembers.
Mainbeams: W14" x 22 lbs. per ft., grade 50 Hi-tensile.
Crossmembers: 6" I-beam x 3.9 lbs per ft., grade 50 Hi-tensile on 22" centers. 3/16" steel fabricated knee bracing on every other x-member.
Siderails: C8" x 11.5 lbs. per ft. Grade 50 Hi-tensile.
Headboard: 8" channel, full width of trailer.
Decking: 2" nominal oak secured to crossmembers with 5/16" torque screws.
Standard paint: Black Urethane (Optional colors available)
 Rust prohibitive undercoating.

Suspension: Hutch 9700 multi-point spring with radius rod axle tracking adjustment, 44,000 lb. capacity.
Axles: (2) 22,500 lb. capacity with oil bath hubs.
Brakes: 12-1/4" x 7-1/2" air with "Wabco" anti-lock braking system and spring parking brakes.
Wheels: 8 hole, hub piloted steel disc.
Tires: 215/75R17.5, (H)
Ramps: 60" x 22" wood-filled with spring assist.
Jack: 25,000 lb. 2 speed, side crank.
Hitch: 4 position cast steel pintle eye, 1-5/8" stock, 3" I.D.
Tie downs: (8) heavy duty D-rings, 4 per side.
Lights: 12 volt DOT & ICC approved. All lights are LED type and flush mounted in rubber grommets. Wiring is run in flexible neoprene jacket and modular in design. 7 way plug.

Standard Unit, Dealer Net: \$18,662.00

Factory Installed Options:

Note: Optional equipment may change standard specifications.

- | | |
|---|--|
| <input type="checkbox"/> Paver Package (6' beavertail + 6' ramps): \$625.00 | <input checked="" type="checkbox"/> Additional deck length: 2 ft. @ \$385.00 per ft. |
| <input type="checkbox"/> 235/75R17.5, (H) tires: \$600.00 | <input checked="" type="checkbox"/> Additional tie down rings: 2 @ \$42.00 each |
| <input type="checkbox"/> Lockable tool box lid: \$265.00 | <input type="checkbox"/> Stake pockets & rubrail: \$720.00 |
| <input type="checkbox"/> Spare tire & wheel: \$400.00 | <input type="checkbox"/> 3" safety rail: \$550.00 |
| <input type="checkbox"/> Spare tire carrier: \$225.00 | <input type="checkbox"/> Bucketplate on beavertail: \$440.00 |
| <input type="checkbox"/> Dual 2 speed landing gear: \$545.00 | <input checked="" type="checkbox"/> 2 way spring assist on ramps: \$295.00 |
| <input checked="" type="checkbox"/> Angle iron traction on ramps: N/C | |
| <input checked="" type="checkbox"/> Self-cleaning traction dovetail: N/C | |

Misc. options:

Price:

-
-
-
-

NOTES:

Quotes good for 15 days unless otherwise stated and do not incl. F.E.T., state taxes or licensing fees.

PURCHASE PRICE \$ 25,307.00